
# wellsys 🛸

#### WATER FOR WELLNESS

### i16 ICE/WATER DISPENSER



#### **Innovative Design & Technology**

- Combination ice maker & water dispenser
- Dispenses chewable ice, as well as hot and room temperature water
- TDS management technology featuring the ability to flush the evaporator



#### Advanced Hygiene Features

- LED UV to help maintain water reservoir cleanliness. Installed in both ice bin and water circulation path (ice melt area)
- Available with Wellsys advanced purification system
- Touch-activated sensor operation for easy cleaning

#### Bullet-Proof Reliability

- Extremely Versatile
- Available with optional base cabinet to make free-standing
- Only 23.6" high



630 Allendale Road, Suite 200 King of Prussia, PA 19406 855.558.9796



Certified by IAPMO in accordance with ANSI/NSF 372 for lead free products and certified by IAPMO R&T in accordance with UL 399 and CSA 22.2 for electrical safety.

## wellsys 🏽

#### i16 ICE/WATER DISPENSER



- High-capacity ice production to meet most office needs
- Touch-activated sensor operation for easy cleaning
- Safety button for hot water dispensing
- Hot and ambient water

- LED UV to help maintain water reservoir cleanliness
- Produces chewable ice
- 16.5 lbs of ice storage capacity
- Produces 165 lbs of ice per day

### Now available with a touchless dispense module!



#### i16 Freestanding & Countertop Specs

Freestanding Weight Countertop Weight	124 lbs (27.3 kg) 100 lbs (19.6 kg)
Freestanding Dimensions	51.6" h x 14.2" w x 23.6" d (131.064 h x 36.068 w x 59.944 d)
Countertop Dimensions	23.6" h x 14.2" w x 23.6" d (59.944 h x 36.068 w x 59.944 d)
Dispensing Height	11" (28 cm)
Ice Output	165 lbs. (74.9 kg) in 24 hours
Ice Storage Capacity	16.5 lbs. (7.3 kg)
Recommended Water Pressure	30 - 70 PSI
Rated Voltage/Frequency	120V/60hz
Power Consumption	4.9 amps (565 W)
Drainage	Drainless technology available in low TDS environments (<150 ppm)
Clearance	5" sides, rear; Access to the top is required for service

### Wellsys Technology Purification Process



Sediment Filter

Reduces particles such as dirt, silt, rust, and pipe residue.



Pre-Carbon Filter

Reduces chlorine, chemicals, and pesticides.



Reverse Osmosis Membrane

Reduces dissolved solids, pharmaceuticals, and metals.



BIO-SURE PLUS™ Filter

Adds minerals, electrolytes, and enhances alkalinity.



Post Carbon Filter

Final polishing filter ensures great taste.



630 Allendale Road, Suite 200 King of Prussia, PA 19406 855.558.9796

Certified by IAPMO in accordance with ANSI/NSF 372 for lead free products and certified by IAPMO R&T in accordance with UL 399 and CSA 22.2 for electrical safety. U.S. Pat. No. 11,946,682 BI